Weed Research 1997, Volume **37**, 451–454

AUTHOR INDEX 1997

ADKINS S.W., WILLS D., BOERSMA M., WALKER S.R., ROBINSON G., MCLEOD R.J. & EINAM J.P. Weeds resistant to chlorsulfuron and atrazine from the north-east grain region of Australia, 343
ALZUGARAY C. *see* FELDMAN *et al.*, 71
AMBROSIO L., DORADO J. & DEL MONTE J.P. Assessment of the sample size to estimate the weed seed bank in soil, 129
ANDREASEN C., RUDEMO M. & SEVESTRE S. Assessment of weed density at an early stage by use of image processing, 5
ASCARD J. Flame weeding: effects of fuel pressure and tandem burners, 77
ASSARD N. *see* CHAMEL *et al.*, 193
AYENI A.O., LORDBANJOU D.T. & MAJEK B.A. *Tithonia diversifolia* (Mexican sunflower) in south-western Nigeria: occurrence and growth habit, 443

BAEUMER K. *see* PEKRUN *et al.*, 419
BÀRBERI P., SILVESTRI N. & BONARI E. Weed communities of winter wheat as influenced by input level and rotation, 301
BARRALIS G. *see* HESS *et al.*, 433
BECKER J.O. *see* ZHANG *et al.*, 181
BENSELLAM E.H., BOUHACHE M. & TALEB A. Etude des adventices des vergers d'agrumes dans le Gharb (Maroc): aspects floristique, agronomique et écologique, 201
BHATTACHARYA A. & SAHA P.K. Germination behaviour of two morphologically different types of seed of *Cassia tora* at different temperatures, 87
BLACK I.D. & DYSON C.B. A model of the cost of delay in spraying weeds in cereals, 139
BLEIHOLDER H. *see* HESS *et al.*, 433
BOERSMA M. *see* ADKINS *et al.*, 343
BONARI E. *see* BÀRBERI, *et al.*, 301
BOUHACHE M. *see* BENSELLAM *et al.*, 201
BOURDOT G.W., SAVILLE D.J., HURRELL G.A. & DALY M.J. Erratum, 191
BREUER J. *see* SCHMIDT *et al.*, 401
BUHR L. *see* HESS *et al.*, 433

CABANNE F. *see* MERCIER *et al.*, 267
CALAMAI L. *see* RAVELLI *et al.*, 51
CAMPBELL M.H. & NICOL H.I. Effect of age on the germination of *Cassinia arcuata* seeds in storage and buried in soil, 103
CATON B.P., FOIN T.C. & HILL J.E. Phenotypic plasticity of *Ammannia* spp. in competition with rice, 33
CAUSSANEL J.P. *see* DEBAEKE *et al.*, 325
CHAMEL A., VIOUGEAS M.A. & ASSARD N. Radiolabelling of isolated cuticles from foliar discs used as a test of cuticle biosynthesis, 193
CONDRON L.M. *see* MCDOWELL *et al.*, 381
COUSENS R.D., GILL G.S. & SPEIJERS E.J. Comment: Number of sample populations required to determine the effects of herbicide resistance on plant growth and fitness, 1
CUSSANS G.W. *see* REW & CUSSANS, 247

DALY M.J. *see* BOURDOT *et al.*, 191
DASTGHEIB F. *see* MCDOWELL *et al.*, 381
DEBAEKE P., CAUSSANEL J.P., KINIRY J.R., KAFIZ B. & MONDRAGON G. Modelling crop:weed interactions in wheat with ALMANAC, 325

© 1997 European Weed Research Society

Debongnie P. *see* Pussemier *et al.*, 171
Del Monte J.P. *see* Ambrosio *et al.*, 129
Dock Gustavsson A.-M. Growth and regenerative capacity of plants of *Cirsium arvense*, 229
Dorado J. *see* Ambrosio *et al.*, 129
Dyson C.B. *see* Black & Dyson, 139

Eggers Th. *see* Hess *et al.*, 433
Einam J.P. *see* Adkins *et al.*, 343

Feldman S.R., Alzugaray C., Torres P.S. & Lewis P. The effect of different tillage systems on the composition of the seedbank, 71
Foin T.C. *see* Caton *et al.*, 33
Foucart G. *see* Pussemier *et al.*, 171
Froud-Williams R.J. *see* Van Acker *et al.*, 277, 287
Fusi P. *see* Ravelli *et al.*, 51

Galford A.E. *see* Mohler & Galford, 147
Gaul S.O. *see* Jensen *et al.*, 373
Gauvrit C. *see* Mercier *et al.*, 267
Gill G.S. *see* Cousens *et al.*, 1
Goux S. *see* Pussemier *et al.*, 171
Grundy A.C. The influence of temperature and water potential on the germination of seven different dry-stored seed lots of *Stellaria media*, 257

Hack H. *see* Hess *et al.*, 433
Haidar M.A., Orr G.L. & Westra P. Effects of light and mechanical stimulation on coiling and prehaustoria formation in *Cuscuta* spp., 219
Hermann O. *see* Rouchaud *et al.*, 121
Hess M., Barralis G., Bleiholder H., Buhr L., Eggers Th., Hack H. & Stauss R. Use of the extended BBCH scale – general for the descriptions of the growth stages of mono- and dicotyledonous weed species, 433
Hill J.E. *see* Caton *et al.*, 33
Hole S.W.J. & Powles S.B. Reduced efficacy and enhanced degradation of carbetamide after repeated application in Australia, 165
Hurrell G.A. *see* Bourdot *et al.*, 191

Iqbal J. & Wright D. Effects of nitrogen supply on competition between wheat and three annual weed species, 391

Jannink J.L. see Jordan & Jannink, 237
Jensen K.I.N., Gaul S.O., Kimball E.R. & Specht E.G. Persistence of imazamethabenz-methyl in soils after autumn and spring applications to wheat, 373
Jordan N.R. & Jannink J.L. Assessing the practical importance of weed evolution: a research agenda, 237

Kafiz B. *see* Debaeker *et al.*, 325
Kallenbach R.L. *see* Zhang *et al.*, 181
Keobualapha B. *see* Roder *et al.*, 111
Kimball E.R. Jensen *et al.*, 373
Kinbry J.R. *see* Debaeke *et al.*, 325
Kirkwood R.C. *see* Singh *et al.*, 315
Kroschel J. *see* Manschadi *et al.*, 39

Lewis P. *see* Feldman *et al.*, 71
Lordbaniou D.T. *see* Ayeni *et al.*, 443

LUNDKVIST A. Influence of weather in the efficacy of dichlorprop-P/MCPA and tribenuron-methyl, 361
LUTMAN P.J.W. *see* PEKRUN *et al.*, 419
LUTMAN P.J.W. *see* VAN ACKER *et al.*, 277, 287

MCDOWELL R.W., CONDRON L.M., MAIN B.E. & DASTGHEIB F. Dissipation of imazapyr, flumetsulam and thifensulfuron in soil, 381
MCGIFFEN JR M.E. *see* ZHANG *et al.*, 181
MCLEOD R.J. *see* ADKINS *et al.*, 343
MAIN B.E. *see* MCDOWELL *et al.*, 381
MAJEK B.A. *see* AYENI *et al.*, 443
MAKOWSKI R.M.D. *see* MORTENSEN & MAKOWSKI, 351
MALCHEREK K. *see* SCHMIDT *et al.*, 401
MANSCHADI A.M., SAUERBORN J., KROSCHEL J. & SAXENA M.C. Effect of plant density on grain yield, root-length density and *Orobanche crenata* infestation in two faba bean genotypes, 39
MARSHALL G. *see* SINGH *et al.*, 315
MERCIER L., SERRE I., CABANNE F. & GAUVRIT C. Behaviour of alkyl oleates following foliar application in relation to their influence on the penetration of phenmedipham and quizalofop-P-ethyl, 267
MILBERG P. Weed seed germination after short-term light exposure: germination rate, photon fluence response and interaction with nitrate, 157
MOHAMED E.S., NOURAI A.H., MOHAMED G.E., MOHAMED M.I. & SAXENA M.C. Weeds and weed management in irrigated lentil in northern Sudan, 211
MOHAMED G.E. *see* MOHAMED *et al.*, 211
MOHAMED M.I. *see* MOHAMED *et al.*, 211
MOHLER C.L. & GALFORD A.E. Weed seedling emergence and seed survival: separating the effects of seed position and soil modification by tillage, 147
MONDRAGON G. *see* DEBAEKE *et al.*, 325
MORTENSEN K. & MAKOWSKI R.M.D. Effects of *Colletotrichum gloeosporioides* f. sp. *malvae* on plant development and biomass of non-target field crops under controlled and field conditions, 351

NEUS O. *see* ROUCHAUD *et al.*, 121
NICOL H.I. *see* CAMPBELL & NICOL, 103
NOURAI A.H. *see* MOHAMED *et al.*, 211

OHR H.D. *see* ZHANG *et al.*, 181
ORR G.L. *see* HAIDAR *et al.*, 219

PANTANI O. *see* RAVELLI *et al.*, 51
PEKRUN C., LUTMAN P.J.W. & BAEUMER K. Germination behaviour of dormant oilseed rape seeds in relation to temperature, 419
PHENGCHANH S. *see* RODER *et al.*, 111
POWLES S.B. *see* HOLE & POWLES, 165
PUSSEMIER L., GOUX S., VANDERHEYDEN V., DEBONGNIE P., TRESINIE I. & FOUCART G. Rapid dissipation of atrazine in soils taken from various maize fields, 171

RAVELLI A., PANTANI O., CALAMAI L. & FUSI P. Rates of chlorsulfuron degradation in three Brazilian oxisols, 51
REW L.J. & CUSSANS G.W. Horizontal movement of seeds following tine and plough cultivation: implications for spatial dynamics of weed infestations, 247
ROBINSON G. *see* ADKINS *et al.*, 343
RODER W., PHENGCHANH S. & KEOBUALAPHA B. Weeds in slash-and-burn rice fields in northern Laos, 111
ROUCHAUD J., NEUS O. & HERMANN O. Influence of application rate and manure amendment on chloridazon dissipation in the soil, 121
RUDEMO M. *see* ANDREASEN *et al.*, 5

SABADIE J. Degradation of bensulfuron-methyl on various minerals and humic acids, 411
SAHA P.K. *see* BHATTACHARYA & SAHA, 87
SAUERBORN J. *see* MANSCHADI *et al.*, 39
SAVILLE D.J. *see* BOURDOT *et al.*, 191
SAXENA M.C. *see* MANSCHADI *et al.*, 39
SAXENA M.C. *see* MOHAMED *et al.*, 211
SCHMIDT B., SIEVER M., THIEDE B., BREUER J., MALCHEREK K. & SCHUPHAN I. Biotransformation of [*ring*-U-^{14}C]atrazine to dealkylated and hydroxylated metabolites in cell-suspension cultures, 401
SCHUPHAN I. *see* SCHMIDT *et al.*, 401
SERRE I. *see* MERCIER *et al.*, 267
SEVESTRE S. *see* ANDREASEN *et al.*, 5
SHEPPARD A.W. *see* SMYTH *et al.*, 63
SIEVER M. *see* SCHMIDT *et al.*, 401
SILVESTRI N. *see* BARBERI, *et al.*, 301
SIMS J.J. *see* ZHANG *et al.*, 181
SINGH S., KIRKWOOD R.C. & MARSHALL G. Effects of isoproturon on photosynthesis in susceptible and resistant biotypes of *Phalaris minor* and wheat, 315
SMYTH M.J., SHEPPARD A.W. & SWIREPIK A. The effect of grazing on seed production in *Echium plantagineum*, 63
SPECHT E.G. JENSEN *et al.*, 373
SPEIJERS E.J. *see* COUSENS *et al.*, 1
SPRAGUE C.L., STOLLER E.W. & WAX L.M. Response of an acetolactate synthase (ALS)-resistant biotype of *Amaranthus rudis* to selected ALS-inhibiting and alternative herbicides, 93
STAUSS R. *see* HESS *et al.*, 433
STOLLER E.W. *see* SPRAGUE *et al.*, 93
STORK P.R. Evaluation of the bioefficacy and leaching of a controlled-release formulation of chlorsulfuron, 19
SWIREPIK A. *see* SMYTH *et al.*, 63

TALEB A. *see* BENSELLAM *et al.*, 201
TALEB A. *see* TANJI & TALEB, 27
TANJI A. & TALEB A. New weed species recently introduced into Morocco, 27
THIEDE B. *see* SCHMIDT *et al.*, 401
TORRES P.S. *see* FELDMAN *et al.*, 71
TRÈSINIE I. *see* PUSSEMIER *et al.*, 171

VAN ACKER R.C., LUTMAN P.J.W. & FROUD-WILLIAMS R.J. The influence of interspecific interference on the seed production of *Stellaria media* and *Hordeum vulgare* (volunteer barley), 277
VAN ACKER R.C., LUTMAN P.J.W. & FROUD-WILLIAMS R.J. Predicting yield loss due to interference from two weed species using early observations of relative weed leaf area, 287
VANDERHEYDEN V. *see* PUSSEMIER *et al.*, 171
VIOUGEAS M.A. *see* CHAMEL *et al.*, 193

WALKER S.R. *see* ADKINS *et al.*, 343
WAX L.M. *see* SPRAGUE *et al.*, 93
WESTRA P. *see* HAIDAR *et al.*, 219
WILLS D. *see* ADKINS *et al.*, 343
WRIGHT D. *see* IQBAL & WRIGHT, 391

ZHANG W.M., MCGIFFEN JR M.E., BECKER J.O., OHR H.D., SIMS J.J. & KALLENBACH R.L. Dose–response of weeds to methyl iodide and methyl bromide, 181